GOVERNMENT OF INDIA
HEALTH AND FAMILY WELFARE
LOK SABHA

UNSTARRED QUESTION NO:1590
ANSWERED ON:13.03.2002
REVIEW OF FAMILY WELFARE PROGRAMME
NAGMANI

Will the Minister of HEALTH AND FAMILY WELFARE be pleased to state:

(a) whether the Government have recently reviewed the Family Welfare Programmes being implemented in the country;

(b) if so, the outcome thereof State-wise; and

(c) the future-plan made by the Government for the effective implementation of the programmes in the country?

Answer

THE MINISTER OF STATE IN THE MINISTRY OF HEALTH AND FAMILY WELFARE (SHRI A. RAJA)

(a)to(c): A statement is laid on the table of the House.

Statement referred to in reply of parts (a) to (c) of the Lok Sabha Unstarred Question No. 1590 for 13th March 2002

(a)&(b): Review of implementation of the Family Welfare Programmes has been done through various surveys. National Family Health Surveys (NFHS) conducted every six years provides information on a large number of health and family welfare indicators.

The National Family Health Survey-I was conducted during 1992-93 covering the population of 24 States and the NCT of Delhi to provide demographic and health data. A total of 88,562 households were covered in the survey. The National Family Health Survey-II was conducted in 1998-99 covering 90,000 ever-married women aged between 15 - 49 years. It covered 26 States/UTs. (Except the State of Tripura).

The major findings of both the surveys at all India level are as follows: -

Items	NFHS-I	NFHS-II
Infant Mortality Rate	78.5	67.6
Currently married women using any method	40.6	48.2
Percent of Births attended by health professional	34.2	42.5
Percent of children fully Immunized	35.4	42.0

A statement showing comparative picture of some of the indicators of NFHS-1 and NFHS-II in respect of some States is enclosed at Annexure-I.

(c): Government has adopted a National Population Policy in February 2000, which provides for an inter-sectoral agenda to bring about population stabilisation within the country. The Policy affirms the commitment of government towards voluntary and informed choice and consent of citizens while availing of reproductive health care services, and continuation of the target free approach in administering family planning services.

The National Population Policy, 2000 enumerates certain socio-demographic goals to be achieved by 2010, which will lead to achieving population stabilisation by 2045. The Policy also prescribes for an Action Plan for implementing the strategic themes listed in the Policy.

The immediate objective of the National Population Policy is toaddress the unmet needs of contraception, health infrastructure, health personnel and to provide integrated service delivery for basic reproductive and child health care. The medium term objective is to bring the total fertility rates to replacement level by 2010, through vigorous implementation of inter sectoral operational strategies. The long-term objective is to achieve a stable population by 2045, at a level consistent with the requirements of sustainable economic growth, social development and environmental protection.

National Family Health Survey - A Comparative Statement

S No.	Indicatiors/States	India		Andhra Pr.		Assam	
		I	II	I	II		
1	Neo-Natal Mortality	48.6	43.4	45.3	43.5	56.9	44.8
2	Infant Mortality Rate	78.5	87.8	70.4	85.8	88.7	89.5
3	Child Mortality Rate	33.4	29.3	22.4	21.0	58.7	21.4
4	Total Fertility Rate	3.40	2.85	2.59	2.25	3.53	2.31
4 a	Crude Birth Rate	28.7	24.8	24.2	21.4	3.4	21.8
4 b	% Order of Birth >=3	48.6	45.2	42.1	31.5	56.2	43.8
5	% of mothers received ANC	44.0	65.3	86.8	92.7	48.9	89.8
6	% currently using any meth	40.6	48.2	47.0	89.6	42.8	43.3
	a) Sterilisation	30.8	36.0	44.7	57.6	14.8	16.7
	b) Spacing method	5.6	6.8	1.8	1.8	5.4	10.0
7	% of children fully vaccinate	35.4	42.0	46.0	52.0	19.4	17.0
	a) B.C.G.	62.2	72.0	74.0	90.2	48.0	53.5
	b) D.P.T. 3	51.7	56.0	66.1	75.8	31.0	37.8
	c) Polio 3	53.4	63.0	68.0	73.8	32.7	37.8
	d) Measles	42.2	51.0	53.8	64.7	25.8	24.6
8	Institutional Delivery (%)	26.0	33.6	33.0	50.0	11.1	17.6
9	Safe Delivery (%)	34.2	42.3	65.0	17.6	21.5	18.9
18.6 3							
1 0	% of children with ansemia	NA	74.3	NA	68.0	NA	62.4
1 1	% of women with anaemia	NA	51.8	NA	50.0	NA	69.0

Bihar		Delhi		Gujarat		Goa	
I	II	I	II	I	II	I	II
54.8	46.5	34.9	30.8	46.3	39.1	20.6	31.2
89.2	73.0	65.4	47.9	73.5	62.2	31.9	36.7
42.0	34.6	19.6	9.3	32.7	24.0	7.2	10.5
3.98	3.47	3.02	2.42	2.97	2.70	1.89	1.77
32.1	28.1	26.6	21.3	27.2	24.30	17.2	16.6
56.4	54.6	44.3	39.3	42.0	41.1	32.2	24.9
36.3	36.0	81.8	82.0	75.4	86.3	95	99.0
23.1	24.5	60.3	63.8	49.3	59.0	47.8	47.5
17.7	20.2	23.2	28.6	41.0	45.3	30.5	28.2
3.2	2.2	31.2	27.7	5.8	8.1	7.3	7.7

10.7	10.6	57.8	69.8	49.8	48.3	74.9	82.6
33.9	37.7	92.0	90.1	77.1	84.7	93.5	99.2
29.1	24.2	71.6	79.9	63.8	64.1	86.7	93.4
31.5	40.3	75.6	80.7	62.9	62.7	67.8	94.9
14.6	16.6	69.6	77.5	55.9	63.6	77.8	84.3
12.1	14.7	44.3	59.5	35.6	46.4	86.8	91.5
18.9	23.5	53.0	86.7	42.7	53.5	88.4	91.1
NA	79.1	NA	69.7	NA	70.0	NA	51.6
NA	63.6	NA	40.5	NA	46.0	NA	36.4

S No.	Indicatiors/States	Orissa		Punjab		Rajasthan	
	I	II	I	II	I	II	
1	Neo-Natal Mortality	64.7	48.6	31.2	34.3	42.1	49.5
2	Infant Mortality Rate	112.1	81.0	53.7	57.1	76.3	80.4
3	Child Mortality Rate	21.3	25.5	15.0	15.9	33.8	37.6
4	Total Fertility Rate	2.92	2.45	2.91	2.21	3.58	3.73
4 a	Crude Birth Rate	26.5	22.1	25.0	19.1	27.0	29.9
4 b	% Order of Birth >=3	48.0	42.9	42.7	39.6	50.7	52.9
5	% of mothers received ANC	61.0	79.2	87.6	74.1	32.6	47.2
6	% currently using any meth	36.3	46.8	58.7	66.7	31.8	40.3
	a) Sterilisation	31.6	35.6	34.0	30.9	26.2	31.8
	b) Spacing method	10.0	4.7	17.4	23.0	3.3	5.8
7	% of children fully vaccinate	36.1	43.7	61.9	72.1	21.1	16.0
	a) B.C.G.	63.3	84.7	77.4	88.7	45.7	53.9
	b) D.P.T. 3	56.3	61.9	73.6	82.0	29.7	26.1
	c) Polio 3	56.7	68.4	73.4	83.6	32.8	43.2
	d) Measles	40.2	54.0	64.8	76.5	31.2	27.1
8	Institutional Delivery (%)	14.1	22.9	24.8	37.5	11.8	21.7
9	Safe Delivery (%)	20.5	33.7	48.4	62.7	22.0	30.2
10	% of children with ansemia	NA	71.3	NA	74.7	NA	76.4
11	% of women with anaemia	NA	63.1	NA	41.5	NA	48.7

Sikkim	Tamil Nadu		Uttar Pradesh		West Bengal	
II	I	II	I	II	I	II
26.3	46.2	35.0	59.9	53.6	55.1	31.9
44.0	67.7	48.2	99.9	86.7	81.0	43.7
28.3	20.1	15.9	46.0	39.2	28.6	19.9
2.70	2.48	2.18	4.75	3.96	2.89	2.27
24.5	23.5	21.4	35.9	31.1	25.5	20.8
42.1	32.3	23.2	57.5	58.1	46.2	36.5
70.0	94.2	98.6	44.4	34.6	75.4	89.5
53.8	49.8	52.1	19.8	28.1	57.4	66.6
24.8	39.6	46.0	13.1	15.6	30.6	33.8
16.6	5.8	4.3	5.3	6.4	7.0	13.5
44.0	65.1	78.2	19.8	21.2	34.2	43.6
76.5	91.7	98.6	48.9	57.5	63.1	76.5
62.5	86.5	96.7	34.1	33.9	51.9	58.3
60.1	86.0	86.5	37.3	42.2	56.0	61.5
58.9	71.5	90.2	26.4	33.6	42.5	52.4
36.4	63.5	79.8	11.2	15.7	31.5	24.4
35.1	71.2	84.1	17.2	23.0	44.4	44.5
77.0	NA	66.1	NA	70.8	NA	75.8
62.0	NA	56.5	NA	48.7	NA	62.9

S. No.	Indicatiors/State	Arunachal		Meghalaya		Nagaland	
		I	II	I	II		
1	Neo-Natal Mortality	17.8	41.8	37.8	50.7	10.0	20.1
2	Infant Mortality Rate	40.0	63.1	64.2	89.0	17.2	42.1
3	Child Mortality Rate	33.3	37.4	24.3	36.2	30.6	22.7
4	Total Fertility Rate	2.44	2.52	3.73	4.57	3.28	3.77
4a	Crude Birth Rate	34.6	22.6	31.9	33.7	31.3	30.4
4b	% Order of Birth >=3	54.6	46.0	53.5	60.1	48.1	59.6
5	% of mothers received ANC	48.9	60.9	51.8	53.1	38.5	59.4
6	% currently using any meth	23.6	33.4	20.4	20.2	13.0	30.3
a)	Sterilisation	10.7	20.7	10.0	10.7	6.4	12.3
b)	Spacing method	8.5	12.2	5.1	9.1	6.2	12
7	% of children fully vaccinate	22.5	20.5	54.9	42.3	3.8	14.1
a)	B.C.G.	46.3	54.2	43.8	46.1	19.4	46.1
b)	D.P.T. 3	45.6	41.8	22.9	25.4	12.5	29.6
c)	Polio 3	38.8	43.3	22.6	27.6	16.3	41.8
d)	Measles	27.5	33.6	13.2	17.7	10.0	19.6
8	Institutional Delivery (%)	19.9	30.9	29.6	17.5	6.0	12.1
9	Safe Delivery (%)	21.3	32.0	37.0	20.7	12.2	32.4
10	% of children with ansemia	NA	54.4	NA	67.7	NA	44.8
11	% of women with anaemia	NA	62.5	NA	63.8	NA	38.9

Manipur		Mizoram		Tripura	
25.1	18.6	8.3	18.8	43.6	28.6
42.4	37	14.8	37	75.8	44.2
20.2	19.9	14.9	18.4	31.2	7.4
2.76	3.64	2.3	2.89	2.67	1.87
24.4	25.8	20.8	25.7	23.1	
52.0	47.1	45.0	46.0	45.8	
63.5	80.1	86.3	90.3	64.4	70.9
34.9	38.7	53.8	57.7	86.4	55.5
13.8	15.6	44.6	45.3	19.3	26.7
10.3	10.3	8.3	11.7	9.5	16.8
29.1	42.3	56.9	59.6	14.3	40.7
63.8	71	77.1	88.2	33.4	73.5
43.3	59.1	71.6	69.5	27.6	51.7
39.4	62.5	69.7	71.9	27.6	57.9
37	45.8	65.1	71	20.8	44.6
22.9	34.5	48.8	57.9	30.6	45.2
50.5	53.9	61.5	60.9	33.4	47.8
NA	43.5	NA	55.6	NA	63.6
NA	28.9	NA	48.2	NA	59.4

S. No.	Indicatiors/States	Haryana		Himachal Pradesh		Jammu & Kashmir	
		I	II	I	II		
1	Neo-Natal Mortality	38.4	34.9	34.2	22.1	31.9	40.3
2	Infant Mortality Rate	73.3	56.8	55.8	34.4	45.4	64.4

3 Child Mortality Rate	27.4	21.2	14.1	8.3	14.3	15.6	23.5	18.9	8.4	2.6	49.3	56.4
4 Total Fertility Rate	3.98	2.84	2.97	2.14	3.13	2.70	2.83	2.13	2.00	1.96	3.85	3.27
4a Crude Birth Rate	32.9	23.1	28.2	19.9	27.9	23.1	25.9	20.4	19.6	18.8	31.6	26.7
4b % Order of Birth >=3	47.5	41.6	42.7	33.3	44.1	50.3	42.4	33.6	26.0	21.1	49.8	52.8
5 % of mothers received ANC	72.2	58.1	75.4	86.8	78.6	83.2	83.4	86.3	97.3	98.9	52.3	61.1
6 % currently using any meth	49.7	62.4	58.4	67.7	49.4	49.1	49.1	58.3	63.3	63.7	36.5	44.3
a) Sterilisation	34.8	40.8	45.8	52.4	29.7	30.7	42.7	52.2	48.3	51.0	31.7	37.9
b) Spacing method	9.6	12.5	8.5	8.4	10.0	11.0	4.8	4.4	6.1	5.1	4.0	4.7
7 % of children fully vaccinate	53.5	62.7	63.5	83.4	54.2	56.7	52.2	60.0	54.4	79.2	22.9	22.4
a) B.C.G.	77.4	86.8	84.8	94.6	79.3	85.6	81.7	84.8	86.1	96.2	56.8	64.9
b) D.P.T. 3	66.8	78.5	88.8	74.6	72.3	71.1	70.7	75.2	73.7	88.0	43.7	37.0
c) Polio 3	67.7	74.3	78.4	89.8	74	74.3	71.4	78.3	75.2	87.9	46.9	56.7
d) Measles	60.9	72.2	71.8	89.1	58.3	68.9	54.9	67.3	60.5	84.6	40.7	35.5
8 Institutional Delivery (%)	16.7	23.2	16.0	29.0	21.9	35.9	37.5	51.1	87.8	93.0	15.9	20.4
9 Safe Delivery (%)	30.0	42.0	25.6	40.4	31.2	43.1	50.9	59.2	89.7	94.0	30.0	30.1
10 % of children with ansemia	NA	78.0	NA	67.3	NA	68.7	NA	65.8	NA	44.2	NA	71.5
11 % of women with anaemia	NA	47.2	NA	40.5	NA	58.7	NA	42.4	NA	22.6	NA	54.4